

Full Text Search in PostgreSQL

Oleg Bartunov

Postgres Professional, Moscow University

Artur Zakirov

Postgres Professional

Highload, Nov 8, 2016, Moscow

Agenda

- Full text search in database
- Full text search in PostgreSQL
 - FTS types and operators
 - Parser, Dictionaries, Configurations
 - FTS indexes (GiST, GIN)
 - Addons, examples, tips
- New FTS features
 - Phrase Search
 - RUM index
 - Tsvector editing functions

What is a Full Text Search ?

- Full text search
 - Find documents, which match a query
 - Sort them in some order
- Typical Search
 - Find documents with **all words** from query
 - Return them sorted by similarity

Why FTS in Databases ?

- Feed database content to external search engines
 - They are fast !

BUT

- They can't index all information, which could be totally virtual
- They don't have access to attributes - no complex queries
- They have to be maintained — headache for DBA
- Sometimes they need to be certified
- They don't provide instant search (need time to download new data and reindex)
- They don't provide consistency — search results can be already deleted from database

FTS in Databases

- **FTS requirements**
 - Full integration with database engine
 - Transactions
 - Concurrent access
 - Recovery
 - Online index
 - Configurability (parser, dictionary...)
 - Scalability

What is a document ?

- Arbitrary text attribute
- Combination of text attributes from the same or different tables (join) – virtual document

Title || Abstract || Keywords || Body || Author

Text Search Operators

- Traditional text search operators
(TEXT op TEXT, op - ~, ~*, LIKE, ILIKE)

```
=# select title from apod where title ~* 'x-ray' limit 5;
          title
-----
The X-Ray Moon
Vela Supernova Remnant in X-ray
Tycho's Supernova Remnant in X-ray
ASCA X-Ray Observatory
Unexpected X-rays from Comet Hyakutake
(5 rows)

=# select title from apod where title ilike '%x-ray%' limit 5;
          title
-----
The Crab Nebula in X-Rays
X-Ray Jet From Centaurus A
The X-Ray Moon
Vela Supernova Remnant in X-ray
Tycho's Supernova Remnant in X-ray
(5 rows)
```

What's wrong ?

- No linguistic support
 - What is a word ?
 - What to index ?
 - Word «normalization» ?
 - Stop-words (noise-words)
- No ranking
 - All documents are equally similar to query
- Slow, documents should be seq. scanned

9.3+ index support of ~* (pg_trgm)

```
select * from man_lines where man_line ~* '(?:  
(?:p(?:ostgres(?:ql)?|g?sql)|sql)) (?:(?:mak|us)e|do|is));
```

One of (postgresql,sql,postgres,pgsql,psql) space One of (do,is,use,make)

FTS in PostgreSQL

- OpenFTS — 2000, Pg as a storage
- GiST index — 2000, thanks Rambler
- Tsearch — 2001, contrib:no ranking
- Tsearch2 — 2003, contrib:config
- GIN — 2006, thanks, JFG Networks
- FTS — 2006, in-core, thanks, EnterpriseDB
- FTS(ms) — 2012, some patches committed
- 2016 — Postgres Professional

FTS in PostgreSQL

- **tsvector** – data type for document optimized for search
- **tsquery** – textual data type for rich query language
- **Full text search operator:** tsvector @@ tsquery
- **SQL interface** to FTS objects (CREATE, ALTER)
 - Configuration: {tokens, {dictionaries}}
 - Parser: {tokens}
 - Dictionary: tokens → lexeme{s}
- **Additional functions and operators**
- **Indexes:** GiST, GIN, RUM

```
to_tsvector('english','a fat cat sat on a mat and ate a fat rat')
           @@
to_tsquery('english','(cats | rat) & ate & !mice');
```

FTS in PostgreSQL

What is the benefit ?

Document processed only once when inserting to table,
no overhead in search

- Document parsed into tokens using pluggable parser
- Tokens converted to lexems using pluggable dictionaries
- Words coordinates and importance are stored and used for ranking
- Stop-words ignored


FTS in PostgreSQL

- Query processed in search time
 - Parsed into tokens
 - Tokens converted to lexems using pluggable dictionaries
 - Tokens may have weights
 - Stop-words removed from query
 - It's possible to restrict search area

```
'fat:ab & rats & !(cats | mice)'
```
 - Query can be rewritten «on-the-go»

FTS in PostgreSQL

- Parser breaks document into tokens



parser

```
=# select * from ts_token_type('default');
```


tokid	alias	description
1	asciword	Word, all ASCII
2	word	Word, all letters
3	numword	Word, letters and digits
4	email	Email address
5	url	URL
6	host	Host
7	sfloat	Scientific notation
8	version	Version number
9	hword_numpart	Hyphenated word part, letters and digits
10	hword_part	Hyphenated word part, all letters
11	hword_asciipart	Hyphenated word part, all ASCII
12	blank	Space symbols
13	tag	XML tag
14	protocol	Protocol head
15	numhword	Hyphenated word, letters and digits
16	asciihword	Hyphenated word, all ASCII
17	hword	Hyphenated word, all letters
18	url_path	URL path
19	file	File or path name
20	float	Decimal notation
21	int	Signed integer
22	uint	Unsigned integer
23	entity	XML entity

(23 rows)

FTS in PostgreSQL

- Each token processed by a set of dictionaries

```
=# \dF+ russian
Text search configuration "pg_catalog.russian"
Parser: "pg_catalog.default"
      Token      | Dictionaries
-----+-----
asciihword    | english_stem
asciivord     | english_stem
email         | simple
file          | simple
float         | simple
host          | simple
hword         | russian_stem
hword_asciipart | english_stem
hword_numpart   | simple
hword_part     | russian_stem
int            | simple
numhword       | simple
numword        | simple
sfloat         | simple
uint           | simple
url            | simple
url_path       | simple
version         | simple
word           | russian_stem
```



```
ts_lexize('english_stem','stars')
```

```
-----  
star
```


FTS in PostgreSQL

- Word processed by dictionaries until it recognized
- It is discarded, if it's not recognized

Rule: from «specific» dictionary to «common» dictionary

Token		Dictionaries
file	pg_catalog.simple	lowercase
host	pg_catalog.simple	
hword	pg_catalog.simple	
int	pg_catalog.simple	
lhword	public.pg_dict,public.en_ispell,pg_catalog.en_stem	
lpart_hword	public.pg_dict,public.en_ispell,pg_catalog.en_stem	
Lword	public.pg_dict,public.en_ispell,pg_catalog.en_stem	Stemmer recognizes everything
nlhword	pg_catalog.simple	
nlpart_hword	pg_catalog.simple	

FTS PostgreSQL



FTS in PostgreSQL

- **Dictionary** – is a **program**, which accepts token on input and returns an array of lexems(may be empty) or NULL if token recognized as stop-word.
- Dictionary API allows to develop any custom dictionaries
 - Truncate too long numbers
 - Convert colors
 - Convert URLs to canonical way

<http://a.in/a/.index.html> → <http://a.in/a/index.html>
- Built-in dictionary templates
 - ispell, myspell, hunspell
 - snowball stemmer
 - thesaurus
 - synonym
 - simple

Dictionaries

- Dictionary — is a program !

```
=# select ts_lexize('intdict', 11234567890);
ts_lexize
-----
```

```
{112345}
```

```
=# select ts_lexize('roman', 'XIX');
ts_lexize
-----
```

```
{19}
```

```
=# select ts_lexize('colours','#FFFFFF');
ts_lexize
-----
```

```
{white}
```

Astronomical dictionary

Dictionary with regexp support (pcre library)

```
# Messier objects
(M|Messier)(\s|-)?((\d){1,3}) M$3
# catalogs
(NGC|Abell|MKN|IC|H[DHR]|UGC|SAO|MWC)(\s|-)?((\d){1,6}[ABC]?) $1$3
(PSR|PKS)(\s|-)?([JB]?) (\d\d\d\d)\s?([+-]\d\d)\d? $1$4$5
# Surveys
OGLE(\s|-)?((I){1,3}) ogle
2MASS twomass
# Spectral lines
H(\s|-)?(alpha|beta|gamma) h$2
(Fe|Mg|Si|He|Ni)(\s|-)?((\d)|([IXV])+) $1$3
# GRBs
gamma\s?ray\s?burst(s?) GRB
GRB\s?(\d\d\d\d\d)([abcd]?) GRB$1$2
```

Agglutinative Languages

German, norwegian, ...

http://en.wikipedia.org/wiki/Agglutinative_language

Concatenation of words without space

Query - Fotballklubber


How to find document 'Klubb **on** fotball**field**'

Split words and build search query

'fotballklubber' =>

'(fotball & klubb) | (fot & ball & klubb) '

Dictionaries – several words



Filter dictionary – unaccent

contrib/unaccent - unaccent text search dictionary and function to remove accents (suffix tree, ~ 25x faster *translate()* solution)

1. Unaccent dictionary does nothing and returns NULL.
(lexeme 'Hotels' will be passed to the next dictionary if any)

```
=# select ts_lexize('unaccent','Hotels') is NULL;  
?column?  
-----  
t
```

2. Unaccent dictionary removes accent and returns 'Hotel'.
(lexeme 'Hotel' will be passed to the next dictionary if any)

```
=# select ts_lexize('unaccent','Hôtel');  
ts_lexize  
-----  
{Hotel}
```

Filter dictionary - unaccent

```
CREATE TEXT SEARCH CONFIGURATION fr ( COPY = french );
ALTER TEXT SEARCH CONFIGURATION fr ALTER MAPPING FOR hword, hword_part, word
    WITH unaccent, french_stem;
```

```
=# select to_tsvector('fr','Hôtel de la Mer') @@ to_tsquery('fr','Hotels');
?column?
-----
```

```
t
```

```
=# select ts_headline('fr','Hôtel de la Mer',to_tsquery('fr','Hotels'));
ts_headline
-----
```

```
<b>Hôtel</b> de la Mer
```

Synonym dictionary with prefix search support

```
cat $SHAREDIR/tsearch_data/synonym_sample.syn
postgres      pgsql
postgresql    pgsql
postgre       pgsql
gogle         googl
indices index*

=# create text search dictionary syn
( template=synonym,synonyms='synonym_sample');
=# select ts_lexize('syn','indices');
ts_lexize
-----
{index}
```

Synonym dictionary with prefix search support

```
=# create text search configuration tst ( copy=simple);
=# alter text search configuration tst alter mapping
    for asciiword with syn;

=# select to_tsquery('tst','indices');
to_tsquery
-----
'index':*
=# select 'indexes are very useful'::tsvector @@@
          to_tsquery('tst','indices');
?column?
-----
t
```

dict_xsyn

- How to search for 'William' and any synonyms 'Will', 'Bill', 'Billy' ? We can:
 - Index only synonyms
 - Index synonyms and original name
 - Index only original name - replace all synonyms.
Index size is minimal, but *search for specific name is impossible.*

dict_xsyn

- Old version of dict_xsyn can return only list of synonyms. It's possible to prepare synonym file to support other options:

William Will Bill Billy

Will William Bill Billy

Bill William Will Billy

Billy William Will Bill

- New dict_xsyn (Sergey Karpov) allows better control:

```
CREATE TEXT SEARCH DICTIONARY xsyn
(RULES='xsyn_sample', KEEPORIG=false|true,
mode='SIMPLE|SYMMETRIC|MAP');
```

dict_xsyn

- Mode SIMPLE - accepts the original word and returns all synonyms as OR-ed list. This is default mode.
- Mode SYMMETRIC - accepts the original word **or any** of its synonyms, and return all others as OR-ed list.
- Mode MAP - accepts any synonym and returns the original word.

dict_xsyn

EXAMPLES:

```
=# ALTER TEXT SEARCH DICTIONARY xsyn (RULES='xsyn_sample',  
KEEP0RIG=false, mode='SYMMETRIC');
```

```
=# select ts_lexize('xsyn','Will') as Will,  
ts_lexize('xsyn','Bill') as Bill,  
ts_lexize('xsyn','Billy') as Billy;
```

will		bill		billy
{william,bill,billy}		{william,will,billy}		{william,will,bill}

Mode='MAP'

will		bill		billy
{william}		{william}		{william}

FTS in PostgreSQL

- Support functions for tsvector and tsquery
 - to_tsvector(ftscfg, text)
 - to_tsquery(ftscfg, text)

```
=# select to_tsvector('english', 'as supernovae stars');
      to_tsvector
```

Stop word

'star':3 'supernova':2

position

```
=# select * from ts_debug('english', 'a supernovae stars');
   alias    |   description   |   token   |   dictionaries   |   dictionary   |   lexemes
-----+-----+-----+-----+-----+-----+
asciword | Word, all ASCII | a        | {english_stem} | english_stem | {}
blank   | Space symbols   |          | {}           | english_stem | {supernova}
asciword | Word, all ASCII | supernovae | {english_stem} | english_stem | {supernova}
blank   | Space symbols   |          | {}           | english_stem | {star}
asciword | Word, all ASCII | stars     | {english_stem} | english_stem | {star}
(5 rows)
```

FTS configuration

- FTS configuration defined:
 - Parser to produce tokens
 - How tokens processed by dictionaries
- SQL commands

```
{CREATE | ALTER | DROP} TEXT SEARCH {CONFIGURATION | DICTIONARY | PARSER}
```

- FTS configurarion supports schema
- PsqI commands
 - \dF{,d,p}[+] [PATTERN]**
- Default FTS configuration- SET default_text_search_config

```
SHOW default_text_search_config;
default_text_search_config
-----
 pg_catalog.russian
(1 row)
```

FTS configuration

- Default FTS configuration-
SET default_text_search_config
- Assign default_text_search_config to database
ALTER DATABASE name
SET default_text_search_config
- SHOW default FTS configuration

```
SHOW default_text_search_config;
default_text_search_config
-----
 pg_catalog.russian
(1 row)
```

FTS configuration


16 configurations for 15 languages

```
=# \dF
```

List of text search configurations		
Schema	Name	Description
pg_catalog	danish	configuration for danish language
pg_catalog	dutch	configuration for dutch language
pg_catalog	english	configuration for english language
pg_catalog	finnish	configuration for finnish language
pg_catalog	french	configuration for french language
pg_catalog	german	configuration for german language
pg_catalog	hungarian	configuration for hungarian language
pg_catalog	italian	configuration for italian language
pg_catalog	norwegian	configuration for norwegian language
pg_catalog	portuguese	configuration for portuguese language
pg_catalog	romanian	configuration for romanian language
pg_catalog	russian	configuration for russian language
pg_catalog	simple	simple configuration
pg_catalog	spanish	configuration for spanish language
pg_catalog	swedish	configuration for swedish language
pg_catalog	turkish	configuration for turkish language

(16 rows)

FTS PostgreSQL



Why tsquery


- We want to write complex queries, for example:
supernovae or white dwarf
or
crab nebulae
- It's difficult to express in SQL
- Tsquery (text search query) provides compact way

```
'(supernovae | (white & dwarf)) | (crab & nebulae)'
```

- `plainto_tsquery()` for AND-ed query

```
'white dwarf', 'crab nebulae'
```

FTS PostgreSQL to_tsquery



Simple Example (no stop words)

```
\dF+ english
Text search configuration "pg_catalog.english"
Parser: "pg_catalog.default"
  Token      | Dictionaries
-----+-----
asciihword   | english_stem
asciivord    | english_stem
email        | simple
file         | simple
float        | simple
host         | simple
hword        | english_stem
hword_asciipart | english_stem
hword_numpart  | simple
hword_part    | english_stem
int          | simple
numhword     | simple
numword      | simple
sfloat        | simple
uint          | simple
url           | simple
url_path     | simple
version       | simple
word          | english_stem
```

New FTS configuration no stop words

```
CREATE TEXT SEARCH CONFIGURATION english_ns
( COPY = english);

CREATE TEXT SEARCH DICTIONARY en_stem_ns
(TEMPLATE=snowball,LANGUAGE = 'english',
STOPWORDS='');

SELECT ts_lexize('english_stem', 'the');
ts_lexize
-----
{ }
(1 row)

SELECT ts_lexize('en_stem_ns', 'the');
ts_lexize
-----
{the}
(1 row)

ALTER TEXT SEARCH CONFIGURATION english_ns
ALTER MAPPING FOR asciihword,asciivord,hword,
hword_asciipart,hword_numpart,hword_part,word
WITH en_stem_ns;
```

```
\dFd+ english_stem
List of text search dictionaries
-[ RECORD 1 ]+-----
Schema    | pg_catalog
Name      | english_stem
Template  | pg_catalog.snowball
Init options | language = 'english', stopwords = 'english'
Description | snowball stemmer for english language
```

Simple Example (no stop words)

```
\dF+ english_ns
Text search configuration "public.english_ns"
Parser: "pg_catalog.default"
  Token      | Dictionaries
-----+-----
asciihword    | en_stem_ns
asciivord     | en_stem_ns
email         | simple
file          | simple
float         | simple
host          | simple
hword         | en_stem_ns
hword_asciipart | en_stem_ns
hword_numpart   | en_stem_ns
hword_part     | en_stem_ns
int            | simple
numhword       | simple
numword        | simple
sfload         | simple
uint           | simple
url            | simple
url_path       | simple
version        | simple
word           | en_stem_ns
```

New FTS configuration no stop words

```
SELECT to_tsvector('english','the pink elephant');
      to_tsvector
-----
'eleph':3 'pink':2
(1 row)

SELECT to_tsvector('english_ns','the pink elephant');
      to_tsvector
-----
'eleph':3 'pink':2 'the':1
(1 row)
```

```
\dFd+ en_stem_ns
List of text search dictionaries
-[ RECORD 1 ]+-----
Schema    | public
Name      | en_stem_ns
Template  | pg_catalog.snowball
Init options | language = 'english', stopwords = ''
Description | english stemmer without stop words
```

Simple Example (ispell dictionary)

- *spell dictionaries from Libreoffice can be used for normalization
- Download dictionaries from
<http://extensions.libreoffice.org/extension-center?getCategories=Dictionary>
Let's use en_US (en_US.dict, en_US.affix)

```
CREATE TEXT SEARCH DICTIONARY en_spell
(TEMPLATE=ispell,DictFile=en_US, AFFfile=en_US,
StopWords='english');

SELECT ts_lexize('en_spell','elephant');
ts_lexize
-----
{elephant}
(1 row)
```

Simple Example (ispell dictionary)

```
\dF+ english
Text search configuration "pg_catalog.english"
Parser: "pg_catalog.default"
      Token          | Dictionaries
-----+-----
asciihword    | en_spell,english_stem
asciivord     | en_spell,english_stem
email          | simple
file           | simple
float          | simple
host           | simple
hword          | en_spell,english_stem
hword_asciipart | en_spell,english_stem
hword_numpart   | en_spell,english_stem
hword_part     | en_spell,english_stem
int            | simple
numhword       | simple
numword         | simple
sfloat          | simple
uint            | simple
url             | simple
url_path        | simple
version         | simple
word            | en_spell,english_stem
```

Add en_spell dictionary to english config

```
SELECT to_tsvector('english','the pink elephant');
      to_tsvector
-----
'eleph':3 'pink':2
(1 row)

SELECT to_tsvector('english_ns','the pink elephant');
      to_tsvector
-----
'eleph':3 'pink':2 'the':1
(1 row)

ALTER TEXT SEARCH CONFIGURATION english
ALTER MAPPING FOR asciihword,asciivord,hword,
hword_asciipart,hword_numpart,hword_part,word
WITH en_spell, english_stem;

SELECT to_tsvector('english','the pink elephant');
      to_tsvector
-----
'elephant':3 'pink':2
(1 row)
```

Default Configuration name

```
SET default_text_search_config = 'english';
SELECT to_tsvector('the pink elephant');
      to_tsvector
-----
'elephant':3 'pink':2
(1 row)
```

Compound words

Concatenation of words without space:

Rindfleischetikettierungsüberwachungsaufgabenübertragungsgesetz
"beef labelling supervision duty assignment law"

Query - Fotballklubber

Document - Klubbfotballen

How to find document ?

Split words and build search query

'fotballklubber' =>

'(fotball & klubb) | (fot & ball & klubb) '

Dictionaries - TSLexeme->nvariant

Compound words have several variants of splitting:

Word 'foobarcom' (imaginary)

Lexeme	nvariant	Comment
foo	1	
bar	1	
com	1	
foob	2	-a- is an affix (interfix)
rcom	2	


```
tsvector: 'bar:1 com:1 foo:1 foob:1 rcom:1'
tsquery: '(foob & rcom) | (foo & bar & com)'
```

Example: Compound words

- Norwegian language:
 - How to match document 'Klubbfotballen' with query 'Fotballklubber' ?
 - 'Klubbfotballen' used also as 'Klubb' and 'fotballen', 'Fotballklubber' — 'Fotball' and 'klubber'.
 - Thanks to FLAG z in ispell we can do the same

Hunspell. Compound words

Lexemes generation scheme:



.affix:
COMPOUNDFLAG **z**

.dict:
ball/ABCDFV**z**
fot/ACDJV**z**
fotball/ADF**z**
klubb/ABCDEFGV**z**

Example: Compound words

- Norwegian language:

- Download from

<http://extensions.libreoffice.org/extension-center?getCategories=Dictionary>

- unzip dictionary-no-no-1.0.oxt

- Convert to UTF8 !!!

```
iconv -f ISO8859-1 -t utf8 nn_NO.aff > nn_NO.affix
iconv -f ISO8859-1 -t utf8 nn_NO.dic > nn_NO.dict
```

- CREATE dictionary nn_spell

```
CREATE TEXT SEARCH DICTIONARY nn_spell
(TEMPLATE=ispell,DictFile=nn_NO, AFFfile=nn_NO,
StopWords='norwegian');
SELECT ts_lexize('nn_spell', 'Fotballklubber');
ts_lexize
-----
{fotball,klubb,fot,ball,klubb}
(1 row)
```

Example: Compound words

- Norwegian language
 - ADD nn_spell to norwegian configuration

```
ALTER TEXT SEARCH CONFIGURATION norwegian ALTER MAPPING
FOR asciihword,asciivord,hword,hword_asciipart,
hword_numpart,hword_part,word WITH nn_spell, norwegian_stem;

SELECT to_tsquery('norwegian', 'Fotballklubber');
          to_tsquery
-----
'fotball' & 'klubb' | 'fot' & 'ball' & 'klubb'
(1 row)
```

Example: Compound words

- Norwegian language

```
SELECT to_tsvector('norwegian', 'Klubbfotballen');
          to_tsvector
-----
'ball':1 'balle':1 'fot':1 'fotball':1 'klubb':1 'klubbfotball':1

WOW !!!

SELECT to_tsvector('norwegian', 'Klubb fotballen') @@
          to_tsquery('norwegian', 'Fotballklubber');
?column?
-----
t
(1 row)
```

Devanagari script support

PostgreSQL 8.3- has problem with Devanagari script (<http://en.wikipedia.org/wiki/Devanagari> - script for Hindi, Marathi, Nepali, Sanscrit,...).

```
select * from ts_parse('default', 'मदन पुरस्कार पुस्तकालय');
```

2	मदन	Madan
12		Puraskar
2	पुरस्	
12	ं	
2	कार	
12		
2	पुस्	
12	ं	
2	तकालय	

Virama sign (modifier, suppresses inherent vowel) – *punct* in np_NP locale. Breaks all parsers, which use locale.

Devanagari script support

मदन पुरस्कार पुस्तकालय (Madan Puraskar Pustakalaya)

character	byte	UTF-32	encoded as	glyph	name
०	०	00092E	E0 A4 AE	म	DEVANAGARI LETTER MA
१	३	000926	E0 A4 A6	द	DEVANAGARI LETTER DA
२	६	000928	E0 A4 A8	न	DEVANAGARI LETTER NA
३	९	000020	20		SPACE
४	१०	00092A	E0 A4 AA	प	DEVANAGARI LETTER PA
५	१३	000941	E0 A5 81	ु	DEVANAGARI VOWEL SIGN U
६	१६	000930	E0 A4 B0	र	DEVANAGARI LETTER RA
७	१९	000938	E0 A4 B8	स	DEVANAGARI LETTER SA
८	२२	00094D	E0 A5 8D	्	DEVANAGARI SIGN VIRAMA
९	२५	000915	E0 A4 95	क	DEVANAGARI LETTER KA
१०	२८	00093E	E0 A4 BE	ा	DEVANAGARI VOWEL SIGN AA
११	३१	000930	E0 A4 B0	र	DEVANAGARI LETTER RA
१२	३४	000020	20		SPACE
१३	३५	00092A	E0 A4 AA	प	DEVANAGARI LETTER PA
१४	३८	000941	E0 A5 81	ु	DEVANAGARI VOWEL SIGN U
१५	४१	000938	E0 A4 B8	स	DEVANAGARI LETTER SA
१६	४४	00094D	E0 A5 8D	्	DEVANAGARI SIGN VIRAMA
१७	४७	000924	E0 A4 A4	त	DEVANAGARI LETTER TA
१८	५०	000915	E0 A4 95	क	DEVANAGARI LETTER KA
१९	५३	00093E	E0 A4 BE	ा	DEVANAGARI VOWEL SIGN AA
२०	५६	000932	E0 A4 B2	ल	DEVANAGARI LETTER LA
२१	५९	00092F	E0 A4 AF	य	DEVANAGARI LETTER YA

Devanagari script support

8.4+ knows Virama signs

```
=# select * from ts_parse('default','मदन पुरस्कार पुस्तकालय');
   tokid |    token
-----+-----
      2 | मदन
     12 |
      2 | पुरस्कार
     12 |
      2 | पुस्तकालय
(5 rows)
```

Thanks to Dibyendra Hyoju and Bal Krishna Bal
for testing and valuable discussion

FTS works, but it's SLOW...

- Huge ACID overhead
 - Results should be consistent
 - Transactions support
- Sequential Scan of the whole table

Index — silver bullet !

the only weapon that is effective against a werewolf, witch, or other monsters.



Indexes !

- Index is a search tree with tuple pointers in the leaves
- Index has no visibility information (MVCC !)
- Indexes used only for accelerations
- Index scan should produce the same results as sequence scan with filtering
- Indexes can be: **partial** (where price > 0.0), **functional** (to_tsvector(text)), **multicolumn** (timestamp, tsvector)
- Indexes not always useful !
 - Low selectivity
 - Maintenance overhead

PostgreSQL extensibility


It is imperative that a user be able to construct new access methods to provide efficient access to instances of nontraditional base types

Michael Stonebraker, Jeff Anton, Michael Hirohama.

Extendability in POSTGRES , IEEE Data Eng. Bull. 10 (2) pp.16-23, 1987

- GiST — Generalized Search Tree
 - J. M. Hellerstein, J. F. Naughton, and Avi Pfeffer. "Generalized search trees for database systems.", VLDB 21, 1995
- Containment hierarchy
 - Parent node contains all its childrens
- No order within pages
- Key ranges of pages can overlap
- GiST provides standard methods
 - Tree navigation (also, knn)
 - Recovery and Concurrency
- Easy to write custom acces methods

GiST — Rtree example (Greece)



Understanding GiST (array example)

- Intarray -Access Method for array of integers
 - Operators overlap, contains

S1 = {1,2,3,5,6,9}

S2 = {1,2,5}

S3 = {0,5,6,9}

S4 = {1,4,5,8}


S5 = {0,9}

S6 = {3,5,6,7,8}

S7 = {4,7,9}

Q = {2,9}


Russian Doll Tree




"THE RD-TREE: AN INDEX STRUCTURE FOR SETS", Joseph M. Hellerstein

RD-Tree


Containment Hierarchy




RD-Tree



RD-Tree



RD-Tree



FTS Index (GiST): RD-Tree

- Word signature — words hashed to the specific position of '1'
 $w_1 \rightarrow S_1: 01000000$ Document: $w_1 \ w_2 \ w_3$
 $w_2 \rightarrow S_2: 00010000$
 $w_3 \rightarrow S_3: 10000000$
- Document (query) signature — superposition (bit-wise OR) of signatures
 $S: 11010000$
- Bloom filter
 - Q1: 00000001 – exact not
 - Q2: 01010000 - may be contained in the document, **false drop**
- Signature is a lossy representation of document
 - + fixed length, compact, + fast bit operations
 - - lossy (false drops), - saturation with #words grows

FTS Index (GiST): RD-Tree

- Latin proverbs

id	proverb
1	Ars longa, vita brevis
2	Ars vitae
3	Jus vitae ac necis
4	Jus generis humani
5	Vita nostra brevis

FTS Index (GiST): RD-Tree

word		signature
ac		00000011
ars		11000000
brevis		00001010
generis		01000100
humani		00110000
jus		00010001
longa		00100100
necis		01001000
nostra		10000001
vita		01000001
vitae		00011000

QUERY

Root

11011011

11011001

10010011

Internal nodes

1101000

11010001

11011000

10010010

10010001

Leaf nodes

RD-Tree (GiST)

id	proverb	signature
1	Ars longa, vita brevis	11101111
2	Ars vitae	11011000
3	Jus vitae ac necis	01011011
4	Jus generis humani	01110101
5	Vita nostra brevis	11001011



False drop

RD-Tree (GiST)

- Problems
 - Not good scalability with increasing of cardinality of words and records.
 - Index is lossy, need check for false drops (Recheck b EXPLAIN ANALYZE)

GIN

- GIN - Generalized Inverted Index
- На самом деле Джин из сказки :)

Report Index

A

abrasives, 27
acceleration measurement, 58
accelerometers, 5, 10, 25, 28, 30, 36, 58, 59, 61, 73, 74
actuators, 4, 37, 46, 49
adaptive Kalman filters, 60, 61
adhesion, 63, 64
adhesive bonding, 15
adsorption, 44
aerodynamics, 29
aerospace instrumentation, 61
aerospace propulsion, 52
aerospace robotics, 68
aluminium, 17
amorphous state, 67
angular velocity measurement, 58
antenna phased arrays, 41, 46, 66
argon, 21
assembling, 22
atomic force microscopy, 13, 27, 35
atomic layer deposition, 15
attitude control, 60, 61
attitude measurement, 59, 61
automatic test equipment, 71
automatic testing, 24

B

backward wave oscillators, 45

compensation, 30, 68
compressive strength, 54
compressors, 29
computational fluid dynamics, 23, 29
computer games, 56
concurrent engineering, 14
contact resistance, 47, 66
convertors, 22
coplanar waveguide components, 40
Couette flow, 21
creep, 17
crystallisation, 64
current density, 13, 16

D

design for manufacture, 25
design for testability, 25
diamond, 3, 27, 43, 54, 67
dielectric losses, 31, 42
dielectric polarisation, 31
dielectric relaxation, 64
dielectric thin films, 16
differential amplifiers, 28
diffraction gratings, 68
discrete wavelet transforms, 72
displacement measurement, 11
display devices, 56
distributed feedback lasers, 38

E

Report Index

A

abrasives, 27
 acceleration measurement, 58
 accelerometers, 5, 10, 25, 28, 30, 36, 58, 59, 61, 73, 74
 actuators, 4, 37, 46, 49
 adaptive Kalman filters, 60, 61
 adhesion, 63, 64
 adhesive bonding, 15
 adsorption, 44
 aerodynamics, 29

compensation, 30, 68
 compressive strength, 54
 compressors, 29
 computational fluid dynamics, 23, 29
 computer games, 56
 concurrent engineering, 14
 contact resistance, 47, 66
 convertors, 22
 coplanar waveguide components, 40
 Couette flow, 21
 creep, 17
 crystallisation, 64
 current density, 13, 16

QUERY: compensation accelerometers

INDEX:	accelerometers	compensation
	5,10,25,28, 30 ,36,58,59,61,73,74	30 ,68

RESULT: **30**

altitude measurement, 59, 61
 automatic test equipment, 71
 automatic testing, 24

discrete wavelet transforms, 72
 displacement measurement, 11
 display devices, 56
 distributed feedback lasers, 38

B

backward wave oscillators, 45

E

Inverted Index in PostgreSQL

E
N
T
R
Y

T
R
E
E

Report Index

A


abrasives, 27
 acceleration measurement, 58
 accelerometers, 5, 10, 25, 28, 30, 36, 58, 59, 61, 73, 74
 actuators, 4, 37, 46, 49
 adaptive Kalman filters, 60, 61
 adhesion, 63, 64
 adhesive bonding, 15
 adsorption, 44
 aerodynamics, 29
 aerospace instrumentation, 61
 aerospace propulsion, 52
 aerospace robotics, 68
 aluminium, 17
 amorphous state, 67
 angular velocity measurement, 58
 antenna phased arrays, 41, 46, 66
 argon, 21
 assembling, 22
 atomic force microscopy, 13, 27, 35
 atomic layer deposition, 15
 attitude control, 60, 61
 attitude measurement, 59, 61
 automatic test equipment, 71
 automatic testing, 24

**Posting list
Posting tree**

compensation, 30, 68
 compressive strength, 54
 compressors, 29
 computational fluid dynamics, 23, 29
 computer games, 56
 concurrent engineering, 14
 contact resistance, 47, 66
 convertors, 22
 coplanar waveguide components, 40
 Couette flow, 21
 creep, 17
 crystallisation, 64

B

backward wave oscillators, 45



- Internal structure is basically just a B-tree
 - Optimized for storing a lot of duplicate keys
 - Duplicates are ordered by heap TID
- Interface supports indexing more than one key per indexed value
 - Full text search: “foo bar” → “foo”, “bar”
- Bitmap scans only

GIN Index

Demo collections – latin proverbs

id	proverb
1	Ars longa, vita brevis
2	Ars vitae
3	Jus vitae ac necis
4	Jus generis humani
5	Vita nostra brevis

GIN Index

Inverted Index

Entry tree

word	posting
	{3}
	{1, 2}
	{1, 5}
	{4}
	{4}
	{3, 4}
	{1}
	{3}
	{5}
	{1, 5}
	{2, 3}

Posting tree

- Fast search
- Slow update

Multicolumn GIN


Suggested approach:

Index on (a int[], b int[]) - store each element separately along with its column number

Fast search on any subset of columns

Effective storage: $\sim N_a + N_b$

```
CREATE INDEX gin_idx ON TAB USING GIN(A,B);
```



Multicolumn GIN: Example

100,000 int[500], cardinality 500,000

```
=# \d test
      Table "public.test"
 Column | Type      |
Modifiers
-----+-----
+-----+
 id     | integer   |
 v1    | integer[] |
 v2    | integer[] |

Indexes:
=# select pg_relation_size('gin_idx'), pg_relation_size('gidx_v1') + pg_relation_size('gidx_v2') as mc_idx_size,
       mc_idx_size | sum_idx
-----+-----
 539492352 | 538984448
```

```
=# \d tt
      Table "public.tt"
 Column | Type      |
Modifiers
-----+-----
+-----+
 id     | integer   |
 v1    | integer[] |
 v2    | integer[] |

Indexes:
=# "gidx_v1" gin (v1) as mc_idx_size,
```

Multicolumn GIN: Example

100,000 int[500], cardinality 500,000

```
=# explain analyze select count(*) from tt where v2 && '{1,3}' and v1 && '{31,56}';
```

Aggregate (cost=1338.86..1338.87 rows=1 width=0) (actual time=4.892..4.895 rows=1 loops=1)

-> Bitmap Heap Scan on tt (cost=1330.88..1338.85 rows=2 width=0) (actual time=4.611..4.789 **rows=36** loops=1)

 Recheck Cond: ((v2 && '{1,3}'::integer[]) AND (v1 && '{31,56}'::integer[]))

 -> BitmapAnd (cost=1330.88..1330.88 rows=2 width=0) (actual time=4.577..4.577 rows=0 loops=1)

 -> Bitmap Index Scan on gidx_v2 (cost=0.00..665.32 rows=500 width=0) (actual time=1.836..1.836 **rows=1516** loops=1)

 Index Cond: (v2 && '{1,3}'::integer[])

 -> Bitmap Index Scan on gidx_v1 (cost=0.00..665.32 rows=500 width=0) (actual time=1.924..1.924 **rows=1489** loops=1)

 Index Cond: (v1 && '{31,56}'::integer[])

Total runtime: **4.994 ms**

Multicolumn GIN: Example

100,000 int[500], cardinality 500,000

```
=# explain analyze select count(*) from test where v2 && '{1,3}' and v1 && '{31,56}';
```

Aggregate (cost=22.95..22.96 rows=1 width=0) (actual time=1.740..1.742 rows=1 loops=1)

-> Index Scan using gin_idx on test (cost=0.00..22.94 rows=3 width=0) (actual time=0.274..1.615 **rows=36** loops=1)


Index Cond: ((v1 && '{31,56}'::integer[]) AND (v2 && '{1,3}'::integer[]))

Total runtime: **1.855 ms**

Multicolumn index vs. 2 single column indexes

Size:	539 Mb	538 Mb
Speed:	1.885 ms	4.994 ms
Index:	~ 340 s	~ 200 s
Insert:	72 s/10000	~ 66 s/10000

GIN for arrays



Query: 2 & 12
Result: 2

GIN update: The Problem

```
CREATE TABLE
INSERT 10,000
int[ ]
CREATE INDEX
```


3.1 s + 11 s
13.1 s

```
CREATE TABLE
CREATE INDEX
INSERT 10,000
int[ ]
```


~0 s + 100 s
100 s

BULK index insert ~ 10 times faster
!

Fast GIN update: The Problem



Fast GIN update: The Problem



1: 1,**4**
2: 2,3,**4**
3: 2,**4**
5: 1,3,**4**
6: 1,**4**
7: 1,2
12: 2,**4**
14: 3
25: 3

1 new object -> 6 index updates !

Fast GIN update: Idea

Delayed Insert

Accumulate new index rows on separate pending pages **gin_pending_list_limit** (4mb)

Use Bulk Insert (as in CREATE INDEX) at vacuum time

Search

Index scan on GIN + scan of pending pages

Fast GIN update: The Problem

```
CREATE TABLE
CREATE INDEX
INSERT 10,000
int[ ]
~0 s + 100 s
          100 s
```

```
CREATE TABLE
CREATE INDEX
INSERT 10,000
int[ ]
VACUUM TABLE
~0 s + 18 s + 12 s
          30 s
```

BULK INSERT OLD_GIN	NEW_GIN	
10 s	100 s	30 s

FTS Indexes

- Используйте индексы
 - GiST индекс для изменяющихся данных
 - быстро обновляется
 - не очень хорошо шкалируется
 - зависит от количества уникальных слова
 - GiN индекс для архивных таблиц
 - дольше обновляется (при вставке документа из 1000 слов требуется сделать 1000 updates). Gin Fast Update проблему сильно ослабил ! Большие gin_pending_list_limit не рекомендуются.
 - хорошо шкалируется
 - очень слабо зависит от числа уникальных слов
- Оба индекса конкурентны и поддерживают восстановление после сбоев

GiST, GIN applications

- Array of integers (GiST, GIN)
- Full text search (GiST, GIN)
- Hierarchical data (GiST)
- Similarity search (GiST, GIN)
- Rtree (GiST)
- PostGIS (postgis.org) (GiST) — spatial index
- BLASTgres (GiST) — bioinformatics
- Cube (GiST)
- Many other

Full-text search tips

- Stable to_tsquery
- Find documents with specific token type
- Getting words from tsvector
- Confuse with text search
- Antimat constraint
- Prefix search
- APOD example (ts_headline, query rewriting)
- FTS without tsvector column
- Strip tsvector
- Fast approximated statistics
- To be or not to be
- Inverse FTS
- Refined Search

Stable to_tsquery

Result of to_tsquery() can't be used as a cache key, since to_tsquery() doesn't preserves an order, which isn't good for cacheing.

Little function helps:

```
CREATE OR REPLACE FUNCTION stable_ts_query(tsquery)
RETURNS tsquery AS
$$
  SELECT ts_rewrite( $1 , 'dummy_word' , 'dummy_word' );
$$
LANGUAGE SQL RETURNS NULL ON NULL INPUT IMMUTABLE;
```

Note: Remember about text search configuraton to have really good cache key !

Find documents by token type

How to find documents, which contain emails ?

```
CREATE OR REPLACE FUNCTION document_token_types(text)
RETURNS _text AS
$$

SELECT ARRAY (
    SELECT
        DISTINCT alias
    FROM
        ts_token_type('default') AS tt,
        ts_parse('default', $1) AS tp
    WHERE
        tt.tokid = tp.tokid
    );
$$ LANGUAGE SQL immutable;
```

Find documents by token type

```
=# SELECT document_token_types(title) FROM papers
   LIMIT 10;
          document_token_types
-----
{asciihword,asciword,blank,hword_asciipart}
{asciword,blank}
{asciword,blank}
{asciword,blank}
{asciword,blank}
{asciword,blank, float, host}
{asciword,blank}
{asciihword,asciword,blank,hword_asciipart,int,numword,uint}
{asciword,blank}
{asciword,blank}
(10 rows)
```

```
CREATE INDEX fts_types_idx ON papers USING
    gin( document_token_types (title) );
```

Find documents by token type

How to find documents, which contain emails ?

```
SELECT comment FROM papers
WHERE document_token_types(title) && '{email}' ;
```

The list of available token types:

```
SELECT * FROM ts_token_type('default') ;
```

Getting words from tsvector

```

CREATE OR REPLACE FUNCTION ts_stat(tsvector, OUT word text,
OUT ndoc integer, OUT nentry integer)
RETURNS SETOF record AS $$

SELECT ts_stat('SELECT ' || quote_literal( $1::text )
               || '::tsvector');

$$ LANGUAGE SQL RETURNS NULL ON NULL INPUT IMMUTABLE;

```

```
SELECT id, (ts_stat(fts)).* FROM apod WHERE id=1;
```

id	word	ndoc	nentry
1	1	1	1
1	2	1	2
1	io	1	2
1	may	1	1
1	new	1	1
1	red	1	1
1	two	1	1

Confuse with text search

One expected **true** here, but result is disappointing **false**

```
=# select to_tsquery('ob_1','inferences') @@  
      to_tsvector('ob_1','inference');  
?column?  
-----  
f
```

Use `ts_debug()` to understand the problem

```
'inferences':  
{french_ispell,french_stem} | french_stem | {inferent}  
  
'inference':  
{french_ispell,french_stem} | french_ispell | {inference}
```

Confuse with text search

- Use synonym dictionary as a first dictionary {synonym,french_ispell,french_stem} with rule 'inferences inference'
 - Don't forget to reindex !
- Use ts_rewrite()
 - Don't need to reindex

Antimat constraint

```
CREATE TABLE nomat (i int, t text,  
    CHECK (NOT (to_tsvector(t) @@ 'f.ck'::tsquery))  
);  
=# INSERT INTO nomat(i,t) VALUES(1,'f.ck him');  
ERROR: new row for relation "nomat" violates check  
constraint "nomat_t_check"  
DETAIL: Failing row contains (1, f.ck him).  
=# INSERT INTO nomat(i,t) VALUES(1,'f.cking him');  
ERROR: new row for relation "nomat" violates check  
constraint "nomat_t_check"  
DETAIL: Failing row contains (1, f.cking him).  
=# INSERT INTO nomat(i,t) VALUES(1,'kiss him');  
INSERT 0 1
```

Prefix full-text search support

- Prefix full-text search support
 - `to_tsquery('supernov:*)` - match all documents, which contains words with prefix 'supernov'
 - `to_tsquery('supernov:ab*)` - the same, but only in titles (weight 'a') and keywords (weight 'b')
 - Can use new GIN partial match feature to speedup search
 - Can be useful if there is no stemmer available



APOD example

<http://www.astronet.ru/db/apod.html>

- curl -O http://www.sai.msu.su/~megera/postgres/fts/apod.dump.gz
- zcat apod.dump.gz | psql postgres
- psql postgres

```
postgres=# \d apod
           Table "public.apod"
  Column   |  Type   | Modifiers
-----+-----+-----+
  id      | integer | not null
 title    | text
 body     | text
 sdate    | date
 keywords | text
```

```
postgres=# show default_text_search_config;
          default_text_search_config
-----
 pg_catalog.russian
```

APOD example: FTS configuration

```
=# \dF+ russian
Text search configuration
"pg_catalog.russian"
Parser: "pg_catalog.default"
      Token          | Dictionaries
-----+-----
asciihword           | english_stem
asciivord            | english_stem
email                | simple
file                 | simple
float                | simple
host                 | simple
hword                | russian_stem
hword_asciipart     | english_stem
hword_numpart        | simple
hword_part           | russian_stem
int                  | simple
numhword             | simple
numword              | simple
sfloat               | simple
uint                 | simple
url                  | simple
url_path             | simple
version              | simple
word                 | russian_stem
```

APOD example: FTS index

```
postgres=# alter table apod add column fts tsvector;
postgres=# update apod   set fts=
setweight( coalesce( to_tsvector(title), '' ), 'B' ) ||  

setweight( coalesce( to_tsvector(keywords), '' ), 'A' ) ||  

setweight( coalesce( to_tsvector(body), '' ), 'D' );
```

NULL || nonNULL => NULL

```
postgres=# create index apod_fts_idx on apod using gin(fts);
postgres=# vacuum analyze apod;
postgres=# select title from apod where fts @@  

          plainto_tsquery('supernovae stars') limit 5;  

-----  

Runaway Star  

Exploring The Universe With IUE 1978-1996  

Tycho Brahe Measures the Sky  

Unusual Spiral Galaxy M66  

COMPTEL Explores The Radioactive Sky
```

APOD example: Search

```
SELECT title,ts_rank_cd(fts, q) AS rank FROM apod,
      to_tsquery('supernovae & x-ray') q
 WHERE fts @@ q ORDER BY rank DESC LIMIT 5;
```

title	rank
Supernova Remnant E0102-72 from Radio to X-Ray	1.59087
An X-ray Hot Supernova in M81	1.47733
X-ray Hot Supernova Remnant in the SMC	1.34823
Tycho's Supernova Remnant in X-ray	1.14318
Supernova Remnant and Neutron Star (5 rows)	1.08116

Time: 1.965 ms

ts_rank_cd uses only local information

$$0 < \text{rank}/(\text{rank}+1) < 1$$

ts_rank_cd('{0.1, 0.2, 0.4, 1.0 }',fts,q)

D C B A

APOD example: headline

```
SELECT ts_headline(body,q,'StartSel=<,StopSel=>,MaxWords=10,MinWords=5') ,
ts_rank_cd(fts, q) as rank from apod, to_tsquery('supernovae & x-ray') q
WHERE fts @@ q ORDER By rank DESC LIMIT 5;
```

headline	rank
<supernova> remnant E0102-72, however, is giving astronomers a clue	1.59087
<supernova> explosion. The picture was taken in <X>-<rays>	1.47733
<X>-<ray> glow is produced by multi-million degree	1.34823
<X>-<rays> emitted by this shockwave made by a telescope	1.14318
<X>-<ray> glow. Pictured is the <supernova>	1.08116

(5 rows)

Time: 39.298 ms

Slow, use subselects !

APOD example

- Different searches with one index
 - Search only in titles (label 'b')

```
=# SELECT title,ts_rank_cd(fts, q) AS rank FROM apod,
to_tsquery('supernovae:b & x-ray') q
WHERE fts @@ q ORDER BY rank_cd DESC LIMIT 5;
```

title	rank
Supernova Remnant E0102-72 from Radio to X-Ray	1.59087
An X-ray Hot Supernova in M81	1.47733
X-ray Hot Supernova Remnant in the SMC	1.34823
Tycho's Supernova Remnant in X-ray	1.14318
Supernova Remnant and Neutron Star	1.08116
(5 rows)	

`to_tsquery('supernovae:ab')` - search in titles and keywords

FTS without tsvector column

- Use functional index (GiST or GiN)
 - no ranking, use other ordering

```
create index gin_text_idx on test using gin (
  ( coalesce(to_tsvector(title), '') || coalesce(to_tsvector(body), '')) )
```

```
apod=# select title from test where
  (coalesce(to_tsvector(title), '') || coalesce(to_tsvector(body), '')) @@ to_tsquery('supernovae') order by sdate desc limit 10;
```

FTS tips

- `ts_headline()` is slow functions, use **subselect**

790 times

```
select id,ts_headline(body,q),ts_rank(fts,q) as rank
from apod, to_tsquery('stars') q
where fts @@ q order by rank desc limit 10;
```

Time: 723.634 ms

10 times !

```
select id,ts_headline(body,q),ts_rank from (
  select id,body,q, rank(fts,q) as rank from apod,
to_tsquery('stars') q
  where fts @@ q order by rank desc limit 10
) as foo;
```

Time: 21.846 ms

```
=#select count(*)from apod where fts @@ to_tsquery('stars');
count
```

790

FTS tips – Query rewriting

- Rewriting query online
 - Query expanding
 - synonyms (new york => Gotham, Big Apple, ...)
 - Query narrowing
 - Курск => submarine Курск
- Like thesaurus dictionary, but doesn't require reindexing

FTS tips – Query rewriting

```
ts_rewrite(tsquery, tsquery, tsquery)
```

```
ts_rewrite(ARRAY[tsquery,tsquery,tsquery]) from aliases
```

```
ts_rewrite(tsquery,'select tsquery,tsquery from aliases')
```

```
create table aliases( t tsquery primary key, s tsquery);
```

```
insert into aliases values(to_tsquery('supernovae'),  
to_tsquery('supernovae|sn'));
```

```
apod=# select ts_rewrite(to_tsquery('supernovae')),  
'select * from aliases');
```

```
ts_rewrite
```

```
-----
```

```
'supernova' | 'sn'
```

FTS tips – Query rewriting

```
apod=# select title, coalesce(ts_rank_cd(fts,q,1),2) as rank
from apod, to_tsquery('supernovae') q
where fts @@ q order by rank desc limit 10;
```

title	rank
The Mysterious Rings of Supernova 1987A	0.669633
Tycho's Supernova Remnant in X-ray	0.598556
Tycho's Supernova Remnant in X-ray	0.598556
Vela Supernova Remnant in Optical	0.591655
Vela Supernova Remnant in Optical	0.591655
Galactic Supernova Remnant IC 443	0.590201
Vela Supernova Remnant in X-ray	0.589028
Supernova Remnant: Cooking Elements In The LMC	0.585033
Cas A Supernova Remnant in X-Rays	0.583787
Supernova Remnant N132D in X-Rays	0.579241

Lower limit

FTS tips – Query rewriting

```
apod=# select id, title, coalesce(ts_rank_cd(fts,q,1),2) as rank
from apod, ts_rewrite(to_tsquery('supernovae'), 'select * from aliases') q
where fts @@ q order by rank desc limit 10;
```

id	title	rank
1162701	The Mysterious Rings of Supernova 1987A	0.90054
1162717	New Shocks For Supernova 1987A	0.738432
1163673	Echos of Supernova 1987A	0.658021
1163593	Shocked by Supernova 1987a	0.621575
1163395	Moving Echoes Around SN 1987A	0.614411
1161721	Tycho's Supernova Remnant in X-ray	0.598556
1163201	Tycho's Supernova Remnant in X-ray	0.598556
1163133	A Supernova Star-Field	0.595041
1163611	Vela Supernova Remnant in Optical	0.591655
1161686	Vela Supernova Remnant in Optical	0.591655

```
apod=# select title, coalesce(rank_cd(fts,q,1),2) as rank
from apod, to_tsquery('supernovae') q
where fts @@ q and id=1162717;
```

title	rank
New Shocks For Supernova 1987A	0.533312

Old rank

new document

FTS tips — strip tsvector

- Positions in tsvector used only for ranking !
Strip them from tsvector (less size) if ranking is not needed. Save size of tsvector.

```
postgres=# select to_tsvector('w1 w3 w1 w3');  
          to_tsvector
```

```
-----  
'w1':1,3 'w3':2,4  
(1 row)
```

Time: 0.268 ms

```
postgres=# select strip(to_tsvector('w1 w3 w1 w3'));  
        strip
```

```
-----  
'w1' 'w3'  
(1 row)
```

Fast approximated statistics

- **Gevel** extension — GiST/GIN indexes explorer (<http://www.sai.msu.su/~megera/wiki/Gevel>)
- **Fast** — uses only GIN index (no table access)
- **Approximated** — no table access, which contains visibility information, approx. for long posting lists
- For mostly **read-only** data error is small

Fast approximated statistics

- Top-5 most frequent words (463,873 docs)

```
=# SELECT * FROM gin_stat('gin_idx') as t(word text, ndoc int)
   order by ndoc desc limit 5;
```

word	ndoc
page	340858
figur	240366
use	148022
model	134442
result	129010
(5 rows)	

Time: 520.714 ms

Fast approximated statistics

- `gin_stat()` vs `ts_stat()`

```
=# select * into stat from ts_stat('select fts from papers') order by ndoc
desc, nentry desc, word;
```

...wait.... 68704,182 ms

```
=# SELECT a.word, b.ndoc as exact, a.estimation as estimation,
round ( (a.estimation-b.ndoc)*100.0/a.estimation,2)||'%' as error
FROM (SELECT * FROM gin_stat('gin_x_idx') as t(word text, estimation int)
order by estimation desc limit 5 ) as a, stat b
WHERE a.word = b.word;
```

word	exact	estimation	error
page	340430	340858	0.13%
figur	240104	240366	0.11%
use	147132	148022	0.60%
model	133444	134442	0.74%
result	128977	129010	0.03%

(5 rows)

Time: 550.562 ms

FTS tips — misprints (pg_trgm)

```
=# select show_trgm('supyrnova');
      show_trgm
-----
 {"  s"," su",nov,ova,pyr,rno,sup,upy,"va ",yrn}
```

```
=# select * into apod_words from ts_stat('select fts from apod') order by ndoc desc,
    nentry desc,word;
```

```
=# \d apod_words
Table "public.apod_words"
 Column | Type   | Modifiers
-----+-----+-----
 word   | text
 ndoc   | integer
 nentry | integer
```

Collect words statistics


```
=# create index trgm_idx on apod_words using gist(word gist_trgm_ops);
```

```
=# select word, similarity(word, 'supyrnova') AS sml
from apod_words where word % 'supyrnova' order by sml desc, word;
```

word	sml
supernova	0.538462

FTS tips:to be or not to be

- Problem
 - Different searches using one tsvector
 - With stop words
 - Without stop words
- Solution
 - Use two FTS configurations
 - Index with 'no_stop' FTS configuration (include all words)
 - Use different FTS configurations for search



FTS tips:to be or not to be

```
SELECT to_tsvector('no_stop', 'to be or not to be. This is my document.')
      @@ plainto_tsquery('english', 'to be or not to be');
```

NOTICE: text-search query contains only stop words or doesn't contain lexemes, ignored
?column?

```
-----
f
(1 row)
```

```
SELECT to_tsvector('no_stop', 'to be or not to be. This is my document.')
      @@ plainto_tsquery('no_stop', 'to be or not to be');
```

?column?

```
-----
t
(1 row)
```

FTS tips: Inverse FTS (FQS)

- Find queries, which match given document
- Automatic text classification

```
SELECT * FROM queries;
```

q	tag
'supernova' & 'star'	sn
'black'	color
'big' & 'bang' & 'black' & 'hole'	bang
'spiral' & 'galaxi'	shape
'black' & 'hole'	color

(5 rows)

```
SELECT * FROM queries WHERE
  to_tsvector('black holes never exists before we think about them')
@@ q;
```

q	tag
'black'	color
'black' & 'hole'	color

(2 rows)

FTS tips: Refined search

- Search for wide query, rank using narrow query
 - Using narrow query can be risky — zero or little results
 - Better to refine search when ranking

```
SELECT title,ts_rank_cd(fts, to_tsquery('x-ray & russian')) AS rank
FROM apod WHERE fts @@ to_tsquery('x-ray&russian') ORDER BY rank
DESC LIMIT 5;
```

title	rank
The High Energy Heart Of The Milky Way	0.0240938

(1 row)

```
SELECT title,ts_rank_cd(fts, to_tsquery('x-ray & russian')) AS rank
FROM apod WHERE fts @@ to_tsquery('x-ray') ORDER BY rank DESC LIMIT 5;
```

title	rank
The High Energy Heart Of The Milky Way	0.0240938
X-Ray Jet From Centaurus A	0
Barnacle Bill And Sojourner	0
The Crab Nebula in X-Rays	0
M27: The Dumbbell Nebula	0

(5 rows)

- FTS in PostgreSQL is a flexible search engine, but it is more than a complete solution
- It is a «collection of bricks» you can build your search engine with
 - Custom parser
 - Custom dictionaries
 - + All power of SQL (FTS+Spatial+Temporal)
 - Use tsvector as a custom storage
- For example, instead of textual documents consider chemical formulas or genome string



Thanks !